Author Index of Volume 182

Abrahams, B. F., 135
Abram, S., 233
Abram, U., 233
Admiraal, G., 233
Antic-Fidancev, E., 5
Antonova, A. B., 49
Archer, S. J., 145
Arzoumanian, H., 173

Babaian-Kibala, E., 77
Balzani, V., 127
Bandoli, G., 117
Becker, C. A. L., 25
Beurskens, P. T., 233
Bianucci, A. M., 197
Bigoli, F., 33
Bond, A. H., 9
Bonuzzi, C., 153
Bouwman, E., 187
Bradshaw, J. E., 1
Bressan, M., 153
Bueno, I., 5
Bünzli, J.-C. G., 101

Campagna, S., 127
Cargill Thompson, A. M. W., 93
Chang, H., 109
Chen, X.-M., 139
Cheng, C.-Y., 109
Constable, E. C., 93
Cooper, J. C., 25
Cotton, F. A., 77
Crouch, A. M., 145

Davies, G., 213
Delgado, S., 55
Demartin, F., 197
Denti, G., 127
Deplano, P., 33
Djuran, M. I., 177
Douglas, B. E., 177
Driessen, W. L., 187

El-Maradne, A. A., 213
El-Sayed, M. A., 213
El-Toukhy, A., 213

Farooq, A., 1
Fenton, R. R., 59, 67, 157
Finch, K. P., 145
Franco, D. W., 87
Friedrich, H. B., 145
Fukui, M., 83

Ganadu, M. L., 197
Ginzburg, A. G., 49
Grace, M. R., 135
Guldi, D., 131

Hancock, R. D., 229
Hoskins, B. F., 135
Huang, P. J., 109

Ichimura, K., 83
Ismael, K. Z., 213

Jacobson, R. A., 41
Jacobson, R. R., 1
Jäger, E.-G., 233
Jarvis, N. V., 229
Johansson, A. A., 49
Jones, P. G., 239

Karlin, K. D., 1
Kasparek, V., 101
Kirmse, R., 233
Korniyets, E. D., 49
Kovalenko, S. V., 49
Kwiatkowski, E., 117
Kwiatkowski, M., 117

Lai, R., 173
Le Bot, S., 173
Lee, D. W., 1
Leese, T. A., 93
Lemaitre-Blaise, M., 5
Li, N. C., 109
Linder, R., 205

Macazaga, Ma. J., 55
Mak, T. C. W., 139
Manassero, M., 197
Manoli, J.-M., 221
Maricondi, C., 177
Marinho, L. A., 87
Martins, S. C., 87
Marzak, S., 221
Masciocchi, N., 197
Maurya, M. R., 41
Meyerstein, D., 131
Morandini, F., 153
Moreno, C., 55
Morii, H., 83
Morvillo, A., 153
Moss, J. R., 145
Münze, R., 233
Musker, W. K., 19

Naldini, L., 197

Ohno, O., 83
Olechnowicz, A., 117

Pandey, K. K., 163
Panzanelli, A., 197
Parada, C., 5
Parvez, M., 177
Pellinghelli, M. A., 33
Perussi, J. R., 87
Petrovskii, P. V., 49
Pierrot, M., 173
Porcher, P., 5
Potvin, C., 221

Radanović, D. J., 177
Reedijk, J., 187
Reese, D. G. F., 93
Rezende, N. M. S., 87
Ricevuto, V., 127
Ridouane, F., 173
Robert, F., 221
Rogers, R. D., 9
Rose, E., 41

Saez-Puche, R., 5
Sakuragi, M., 83
Santos, J. A. V., 87
Schelbach, R., 239
Schmidtke, H.-H., 205
Sécheresse, F., 221
Serroni, S., 127
Sinn, E., 1
Sital, S., 187
Stach, J., 233
Stephens, F. S., 59, 67, 157
Strand, D., 205
Sukhina, I. A., 49

Taþak, M., 87
Tocher, D. A., 93
Tolppi, C. J., 41
Tregloan, P. A., 135
Trogu, E. F., 33
Tyeklár, Z., 1

Vagg, R. S., 59, 67, 157
Verweij, P. D., 187

Wang, S.-L., 109
Wang, S. M., 109
Wasgestian, F., 131
Williams, P. A., 59, 67, 157
Wilson, L. J., 1
Witt, M. M., 9
Wolford, T. L., 19
Woo, L. K., 41
Wood, J. S., 187

Yang, S., 41
Yasuike, M., 83

Zeigerson, E., 131

Elsevier Sequoia/Printed in Switzerland

Subject Index of Volume 182

Amine complexes
  studies of dicopper complexes: X-ray crystal structure of tetraaquabis(perchlorato)(*N,N,N',N'*-tetrakis(benzimidazol-2-ylmethyl)-1,3-propanediamine) dicopper(II) bis(perchlorate) tetrahydrate, 109
Amino acid complexes
  Au(I) complexes with amino acid derivatives; preparation and crystal structure of triphenylphosphine-(*N*-benzoyl-L-alaninato)Au(I), 239
  enhanced enantioselectivity in Co(III)-mediated synthesis of alamine, including crystal structure of intermediate Λ-β_1-[(3*R*, 4*R*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane)(2-amino-2-methylpropandioicacidato)Co(III)] perchlorate dihydrate, 59
Ammine complexes
  properties and structure of Co(III) chromate cation, $Co(NH_3)_5CrO_4^+$, as its perchlorate salt, 135
Ammonia complexes
  triethyl phosphite as ligand on Ru(III); synthesis, characterization and properties of *trans*-$Ru[(NH_3)_4P(OEt)_3(H_2O)](CF_3SO_3)_3$, 87
Aryl compounds
  unequivocal synthesis of *meso*-tetraphenyltetrabenzoporphine, 83

Carbonyl complexes
  reactions of $Co_2(CO)_8$ with potentially polydentate phosphines, 55
  synthesis and properties of heterodinuclear complexes $[Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3$–6; $Cp = \eta^5$-C_5H_5), 145
Carboxylate complexes
  crystal and molecular structures of aquadichloro(pyridine betaine)Zn(II), dichlorobis(pyridine betaine)Zn(II) and dichlorobis(betaine)Zn(II) monohydrate, 139
Catalysis
  hydrogenation of alkenes and ketones catalyzed by Rh(I) complexes containing thiophosphine ligands, 153
Chelate complexes
  Co(II) and Rh(III) complexes of 1,5-dithiacyclooctane (1,5-DTCO) and 1,5,9,13-tetrathiacyclohexadecane (TTH), 19
  crystal structures and absolute configurations of $(+)_{589}$-Li[Co(edtp)]·$3H_2O$ and $(+)_{589}$-Li[Cr(edtp)]·$3H_2O$ complexes of ethylenediamine-*N,N,N',N'*-tetra-3-propionate ion and correlations with circular dichroism spectra, 177
  nitridotechnetium complexes with tri- and tetradentate azomethines; X-ray molecular and crystal structure of [*N*-(2-ethoxycarbonyl-3-oxo-but-1-en(1)yl)-2-aminophenolato](triphenylphosphine)-nitridotechnetium(V), TcN(ecbap)(Ph_3P), 233
  stereospecific *cis*-α coordination to Co(III) by new tetradentate ligand *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1,2-diaminocyclohexane, 67
  studies of dicopper complexes; X-ray crystal structure of tetraaquabis(perchlorato)(*N,N,N',N'*-tetrakis(benzimidazol-2-ylmethyl)-1,3-propanediamine) dicopper(II) bis(perchlorate) tetrahydrate, 109
Chiral complexes
  enhanced enantioselectivity in Co(III)-mediated synthesis of alamine, including crystal structure of intermediate Λ-β_1-[(3*R*, 4*R*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane)(2-amino-2-methylpropandioicacidato)Co(III)] perchlorate dihydrate, 59
  stereospecific *cis*-α coordination to Co(III) by new tetradentate ligand *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1,2-diaminocyclohexane, 67
Chiral ligand complexes
  unusual terdentate behaviour in crystal structure of chloro[*N,N'*-di(2-picolyl)-*N*-(2-pyridinecarboxamide)-1,2-diaminocyclohexane]Pd(II) perchlorate hemihydrate, 157
Chromate complexes
  optical and magnetic properties of Eu doped K rare earth double chromate $KLa(CrO_4)_2$:Eu^{3+}, 5
  properties and structure of Co(III) chromate cation, $Co(NH_3)_5CrO_4^+$, as its perchlorate salt, 135
Cimetidine complexes
  metal complexes of cimetidine; synthesis, X-ray structure determination and semiempirical calculations on [cimetidinatecopper(II)]$^+$ cation, 197
Cobalt complexes
  Co(II) and Rh(III) complexes of 1,5-dithiacyclooctane (1,5-DTCO) and 1,5,9,13-tetrathiacyclohexadecane (TTH), 19
  crystal structures and absolute configurations of $(+)_{589}$-Li[Co(edtp)]·$3H_2O$ and $(+)_{589}$-Li[Cr(edtp)]·$3H_2O$ complexes of ethylenediamine-*N,N,N',N'*-tetra-3-propionate ion and correlations with circular dichroism spectra, 177
  enhanced enantioselectivity in Co(III)-mediated synthesis of alanine, including crystal structure of intermediate Λ-β_1-[(3*R*, 4*R*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane)(2-amino-2-methylpropandioicacidato)Co(III)] perchlorate dihydrate, 59
  properties and structure of Co(III) chromate cation, $Co(NH_3)_5CrO_4^+$, as its perchlorate salt, 135
  reactions of $Co_2(CO)_8$ with potentially polydentate phosphines, 55
  stereospecific *cis*-α coordination to Co(III) by new tetradentate ligand *N,N'*-dimethyl-*N,N'*-di(2-picolyl)-1,2-diaminocyclohexane, 67
  synthesis, characterization and molecular structure of tetrakis(2,6-diethylphenylisocyanide)bis(per-

chlorato)Co(II); example of dissimilarity between perchlorate and tetrafluoroborate salts, 25
Copper complexes
heterobimetallic aggregates derived from double cubane-like structure $(NMe_4)_4[MS_4(CuCl)_5Cl_2]$ (M = Mo, W), 221
influence of catecholate bridges on transmetalation of tetranuclear Cu(II) complexes $[NCuCl]_4Y_2$ and $N_4Cu_4(OH)_2Cl_4Y \cdot 3H_2O$ (N = *N*,*N*-diethylnicotinamide; Y = 3,4,5,6-tetrachlorocatecholate) with $Ni(NS)_2$ (NS = *S*-methyl isopropylidenehydrazinecarbodithioate) in methylene chloride, 213
metal complexes of cimetidine; synthesis, X-ray structure determination and semiempirical calculations on $[cimetidinatecopper(II)]^+$ cation, 197
molecular structure and magnetic properties of bis(μ-chloro)bis[7-amino-4-methyl-5-azahept-3-en-2-onato(1−)]dicopper(II), 117
peroxide (O_2^{2-}) as bridging ligand for Cu(II); strong exchange coupling in complexes derived from Cu(I) and dioxygen, 1
preparation and characterization of polymeric compounds of Cu(I) halogenides with Et_4todit = 4,5,6,7-tetrathiocino[1,2-*b*:3,4,-*b'*]diimidazolyl-1,3,8,10-tetraethyl-2,9-dithione; crystal and molecular structures of $[Cu(I)(Et_4todit)I]_n$ and $[Cu(I)(Et_4todit)I]_n \cdot n/2Me_2CO$, 33
studies of dicopper complexes; X-ray crystal structure of tetraaquabis(perchlorato)(*N*,*N*,*N'*,*N'*-tetrakis(benzimidazol-2-ylmethyl)-1,3-propanediamine) dicopper(II) bis(perchlorate) tetrahydrate, 109
Crystal structure(s)
of aquadichloro(pyridine betaine)Zn(II), dichlorobis(pyridine betaine)Zn(II) and dichlorobis(betaine)Zn(II) monohydrate, 139
of aryltrioxomolybdenum(VI) anion, 173
of bis(μ-chloro)bis[7-amino-4-methyl-5-azahept-3-en-2-onato(1−)]dicopper(II), 117
of chloro[*N*,*N'*-di(2-picolyl)-*N*-(2-pyridinecarboxamide)-1,2-diaminocyclohexane]Pd(II) perchlorate hemihydrate, 157
of $[cimetidinatecopper(II)]^+$ cation, 197
of $Co(NH_3)_5CrO_4^+$, 135
cis-α coordination to Co(III) by *N*,*N'*-dimethyl-*N*,*N'*-di(2-picolyl)-1,2-diaminocyclohexane, 67
of $[Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3–6$; $Cp = \eta^5\text{-}C_5H_5$), 145
of $[Cu(I)(Et_4todit)I]_n$ and $[Cu(I)(Et_4todit)I]_n \cdot n/2Me_2CO$, 33
of Λ-β_1-[(3*R*, 4*R*-diphenyl-1,6-di(2-pyridyl)-2,5-diazahexane)(2-amino-2-methylpropandioicacidato)-Co(III)] perchlorate dihydrate, 59
of $(+)_{589}$-Li[Co(edtp)]·$3H_2O$ and $(+)_{589}$-Li[Cr(edtp)]·$3H_2O$ complexes of ethylenediamine-*N*,*N*,*N'*,*N'*-tetra-3-propionate ion, 177
of (4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)-di(chloro)Cu(II), bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Cu(II) dichloride dihydrate, and bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Co(III) tris(tetrafluoroborate) 187
of Ni(II) complex of bis-alanyl-appended porphyrin, 41
of $(NMe_4)_4[MS_4(CuCl)_5Cl_2]$ (M = Mo, W), 221
of (2-{2-pyridyl}phenyl)Pd(II) tetramer and (2-{2-pyridyl}phenyl)Hg(II) tetramer, 93
of sulfido-bridged diniobium(IV) and ditantalum(IV) complexes and related tetranuclear Ta(IV) compound, 77
of TcN(ecbap)(Ph_3P), 233
of tetraaquabis(perchlorato)(*N*,*N*,*N'*,*N'*-tetrakis-(benzimidazol-2-ylmethyl)-1,3-propanediamine)-dicopper(II) bis(perchlorate)tetrahydrate, 109
of $[ThCl_3(pentaethylene\ glycol)]Cl \cdot CH_3CN$ and $[Th_4Cl_8(tetraethylene\ glycolate)_3] \cdot 3CH_3CN$, 9
of triphenylphosphine-(*N*-benzoyl-L-alaninato)Au(I), 239
Cyclometallated ligand complexes
cyclometallation reactions of 2-phenylpyridine; crystal and molecular structure of (2-{2-pyridyl}phenyl)-Pd(II) tetramer and (2-{2-pyridyl}phenyl)Hg(II) tetramer, 93
Cyclopentadienyl complexes
synthesis and properties of heterodinuclear complexes $[Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3–6$; $Cp = \eta^5\text{-}C_5H_5$), 145

Dinuclear complexes
molecular structure and magnetic properties of bis(μ-chloro)bis[7-amino-4-methyl-5-azahept-3-en-2-onato(1−)]dicopper(II), 117
studies of dicopper complexes; X-ray crystal structure of tetraaquabis(perchlorato)(*N*,*N*,*N'*,*N'*-tetrakis(benzimidazol-2-ylmethyl)-1,3-propanediamine dicopper(II) bis(perchlorate) tetrahydrate, 109

Electronic structure(s)
of $[cimetidinatecopper(II)]^+$ cation, 197
of *trans*-$[OsCl_4I_2]^{2-}$, *fac*- and *mer*-$[OsCl_3I_3]^{2-}$, 205
of Rh–NSO, Rh–SH and Rh–Cl complexes, 163
Europium complexes
optical and magnetic properties of Eu doped K rare earth double chromate $KLa(CrO_4)_2:Eu^{3+}$, 5

Gold complexes
Au(I) complexes with amino acid derivatives; preparation and crystal structure of triphenylphosphine-(*N*-benzoyl-L-alaninato)Au(I), 239

Halide complexes
low lying ligand field levels of *trans*-$[OsCl_4I_2]^{2-}$, *fac*- and *mer*-$[OsCl_3I_3]^{2-}$, 205
Heterobimetallic complexes
heterobimetallic aggregates derived from double cubane-like structure $(NMe_4)_4[MS_4(CuCl)_5Cl_2]$ (M = Mo, W), 221
Heterobinuclear complexes
synthesis and characterization of vinylidene bridged complexes $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(P\text{–}P)$ with chelating diphosphine ligands P–P = dppm, dppe or dppp at Pt atom, 49
Heterodinuclear complexes
synthesis and properties of heterodinuclear complexes $(Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3–6$; $Cp = \eta^5\text{-}C_5H_5$), 145

Hydrogenation
of alkenes and ketones catalyzed by Rh(I) complexes containing thiophosphine ligands, 153

Imidazole-thioether-amine ligand compounds
transition metal compounds of chelating imidazole thioether-amine ligand; crystal and molecular structures of (4-(5-methyl-4-imidazolyl-1-amino-3-thiabutane)di(chloro)Cu(II), bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Cu(II) dichloride dihydrate, and bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Co(III) tris(tetrafluoroborate), 187
Iron complexes
synthesis and properties of heterodinuclear complexes $[Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3$–6; $Cp = \eta^5$-C_5H_5), 145
IR spectroscopy
inner-sphere interaction between perchlorate and lanthanide ions in anhydrous acetonitrile, 101
Isocyanide complexes
synthesis, characterization and molecular structure of tetrakis(2,6-diethylphenylisocyanide)bis(perchlorato)Co(II); example of dissimilarity between perchlorate and tetrafluoroborate salts, 25

Kinetics and mechanism
some correlations involving stability of complexes of transuranium metal ions and ligands with negatively charged oxygen donors, 229
triethyl phosphite as ligand on Ru(III); synthesis, characterization and properties of *trans*-$Ru[(NH_3)_4P(OEt)_3(H_2O)](CF_3SO_3)_3$, 87

Lanthanide complexes
inner-sphere interaction between perchlorate and lanthanide ions in anhydrous acetonitrile, 101
Luminescence
directional energy transfer in luminescent tetranuclear Ru(II) polypyridine complex that contains two different types of bridging ligands, 127

Macrocyclic ligand complexes
higher stability constants for complexation of low valent, than of high valent, transition metal ions by saturated tertiary amine macrocyclic tetraaza ligands, 131
polyethylene glycol and glycolate complexes of Th^{4+}; preparation and structural characterization of $[ThCl_3(pentaethylene\ glycol)]Cl \cdot CH_3CN$ and $(Th^{4+})_4$ cluster, $[Th_4Cl_8(O)(tetraethylene\ glycolate)_3] \cdot 3CH_3CN$, 9
Magnetism
molecular structure and magnetic properties of bis(μ-chloro)bis[7-amino-4-methyl-5-azahept-3-en-2-onato(1−)]dicopper(II), 117
optical and magnetic properties of Eu doped K rare earth double chromate $KLa(CrO_4)_2:Eu^{3+}$, 5
Manganese complexes
synthesis and characterization of vinylidene bridged complexes $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(P\text{–}P)$ with chelating diphosphine ligands P–P = dppm, dppe or dppp at Pt atom, 49
Metal complexes
heterobimetallic aggregates derived from double cubane-like structure $(NMe_4)_4[MS_4(CuCl)_5Cl_2]$ (M = Mo, W), 221
higher stability constants for complexation of low valent, than of high valent, transition metal ions by saturated tertiary amine macrocyclic tetraaza ligands, 131
synthesis and characterization of new bis-alanyl-appended porphyrin and its mononuclear Cu(II), Ni(II) and Zn(II) complexes; crystal structure of Ni(II) complex, 41
Molecular structure
of tetrakis(2,6-diethylphenylisocyanide)bis(perchlorate)Co(II), 25
Molybdenum complexes
preparation and X-ray structure determination of aryltrioxomolybdenum(VI) anion, 173

Niobium complexes
new sulfido-bridged diniobium(IV) and ditantalum(IV) complexes and related tetranuclear Ta(IV) compound, 77

Osmium complexes
low lying ligand field levels of *trans*-$[OsCl_4I_2]^{2-}$, *fac*- and *mer*-$[OsCl_3I_3]^{2-}$, 205
Oxo complexes
preparation and X-ray structure determination of aryltrioxomolybdenum(VI) anion, 173
Oxygen donor complexes
some correlations involving stability of complexes of transuranium metal ions and ligands with negatively charged oxygen donors, 229

Palladium complexes
cyclometallation reactions of 2-phenylpyridine; crystal and molecular structure of (2-{2-pyridyl}phenyl)-Pd(II) tetramer and (2-{2-pyridyl}phenyl)Hg(II) tetramer, 93
unusual terdentate behaviour in crystal structures of chloro[*N*,*N*′-di(2-picolyl)-*N*-(2-pyridinecarboxamide)-1,2-diaminocyclohexane]Pd(II) perchlorate hermihydrate, 157
Peroxide complexes
peroxide (O_2^{2-}) as bridging ligand for Cu(II); strong exchange coupling in complexes derived from Cu(I) and dioxygen, 1
Platinum complexes
synthesis and characterization of vinylidene bridged complexes $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(P\text{–}P)$ with chelating diphosphine ligands P–P = dppm, dppe or dppp at Pt atom, 49
Polydentate ligand complexes
Co(II) and Rh(III) complexes of 1,5-dithiacyclooctane (1,5-DTCO) and 1,5,9,13-tetrathiacyclohexadecane (TTH), 19
crystal structures and absolute configurations of $(+)_{589}$-$Li[Co(edtp)] \cdot 3H_2O$ and $(+)_{589}$-$Li[Cr(edtp)] \cdot 3H_2O$ complexes of ethylenediamine-*N*,*N*,*N*′,*N*′-tetra-3-propionate ion and correlations with circular dichroism spectra, 177

directional energy transfer in luminescent tetranuclear Ru(II) polypyridine complex that contains two different types of bridging ligands, 127
influence of catecholate bridges on transmetalation of tetranuclear Cu(II) complexes $[NCuCl]_4Y_2$ and $N_4Cu_4(OH)_2Cl_4Y \cdot 3H_2O$ (N = *N*,*N*-diethylnicotinamide; Y = 3,4,5,6-tetrachlorocatecholate) with $Ni(NS)_2$ (NS = *S*-methyl isopropylidenehydrazinecarbodithioate) in methylene chloride, 213
molecular structure and magnetic properties of bis(μ-chloro)bis[7-amino-4-methyl-5-azahept-3-en-2-onato(1−)]dicopper(II), 117
nitridotechetium complexes with tri- and tetradentate azomethines; X-ray molecular and crystal structure of [*N*-(2-ethoxycarbonyl-3-oxo-but-1-en(1)yl)-2-aminophenolato](triphenylphosphine)nitridotechnetium(V), TcN(ecbap)(Ph_3P), 233
preparation and characterization of polymeric compounds of Cu(I) halogenides with Et₄todit = 4,5,6,7-tetrathiocino[1,2-*b*:3,4-*b'*]diimidazolyl-1,3,8,10-tetraethyl-2,9-thione; crystal and molecular structures of $[Cu(I)(Et_4todit)I]_n$ and $[Cu(I)(Et_4todit)I]_n \cdot n/2Me_2CO$, 33
stereospecific *cis*-α coordination to Co(III) by new tetradentate ligand *N*,*N'*-dimethyl-*N*,*N'*-di(2-picolyl)-1,2-diaminocyclohexane, 67
studies of dicopper complexes; X-ray crystal structure of tetraaquabis(perchlorato)(*N*,*N*,*N'*,*N'*-tetrakis(benzimidazol-2-ylmethyl)-1,3-propanediamine) dicopper(II) bis(perchlorate) tetrahydrate, 109

Polydentate phosphine complexes
reactions of $Co_2(CO)_8$ with potentially polydentate phosphines, 55

Polymeric complexes
preparation and characterization of polymeric compounds of Cu(I) halogenides with Et₄todit = 4,5,6,7-tetrathiocino[1,2-*b*:3,4-*b'*]diimidazolyl-1,3,8,10-tetraethyl-2,9-dithione; crystal and molecular structures of $[Cu(I)(Et_4todit)I]_n$ and $[Cu(I)(Et_4todit)I] \cdot n/2Me_2CO$, 33

Polynuclear complexes
directional energy transfer in luminescent tetranuclear Ru(II) polypyridine complex that contains two different types of bridging ligands, 127

Porphine compounds
unequivocal synthesis of *meso*-tetraphenyltetrabenzoporphine, 83

Porphyrin complexes
synthesis and characterization of new bis-alanyl-appended porphyrin and its mononuclear Cu(II), Ni(II) and Zn(II) complexes; crystal structure of Ni(II) complex, 41

Rhodium complexes
coordination chemistry of NSO^-, NSO_2^- and S_3N^- ligands; comparison of electronic structure of Rh–NSO, Rh–SH and Rh–Cl complexes, 163
Co(II) and Rh(III) complexes of 1,5-dithiacyclooctane (1,5-DTCO) and 1,5,9,13-tetrathiacyclohexanedecane (TTH), 19
hydrogenation of alkenes and ketones catalyzed by Rh(I) complexes containing thiophosphine ligands, 153

Ruthenium complexes
directional energy transfer in luminescent tetranuclear Ru(II) polypyridine complex that contains two different types of bridging ligands, 127
synthesis and properties of heterodinuclear complexes $[Cp(CO)_2Fe(CH_2)_nRu(CO)_2Cp]$ (where $n = 3–6$; $Cp = \eta^5\text{-}C_5H_5$), 145
triethyl phosphite as ligand on Ru(III); synthesis, characterization and properties of *trans*-$Ru[(NH_3)_4P(OEt)_3(H_2O)](CF_3SO_3)_3$, 87

Sulfido complexes
new sulfido-bridged diniobium(IV) and ditantalum(IV) complexes and related tetranuclear Ta(IV) compound, 77

Sulfonylnitrido complexes
coordination chemistry of NSO^-, NSO_2^- and S_3N^- ligands; comparison of electronic structure of Rh–NSO, Rh–SH and Rh–Cl complexes, 163

Tantalum complexes
new sulfido-bridged diniobium(IV) and ditantalum(IV) complexes and related tetranuclear Ta(IV) compound, 77

Technetium complexes
nitridotechnetium complexes with tri- and tetradentate azomethines; X-ray molecular and crystal structure of [*N*-(2-ethoxycarbonyl-3-oxo-but-1-en(1)yl)-2-aminophenolato](triphenylphosphine)-nitridotechnetium(V), TcN(ecbap)(Ph_3P), 233

Tetranuclear complexes
influence of catecholate bridges on transmetalation of tetranuclear Cu(II) complexes $[NCuCl]_4Y_2$ and $N_4Cu_4(OH)_2Cl_4Y \cdot 3H_2O$ (N = *N*,*N*-diethylnicotinamide; Y = 3,4,5,6-tetrachlorocatecholate) with $Ni(NS)_2$ (NS = *S*-methyl isopropylidenehydrazinecarbodithioate) in methylene chloride, 213

Thionitro complexes
coordination chemistry of NSO^-, NSO_2^- and S_3N^- ligands; comparison of electronic structure of Rh–NSO, Rh–SH and Rh–Cl complexes, 163

Thiophosphine complexes
hydrogenation of alkenes and ketones catalyzed by Rh(I) complexes containing thiophosphine ligands, 153

Thorium complexes
polyethylene glycol and glycolate complexes of Th^{4+}; preparation and structural characterization of $[ThCl_3(pentaethylene\ glycol)]Cl \cdot CH_3CN$ and $(Th^{4+})_4$ cluster, $[Th_4Cl_8(O)(tetraethylene\ glycolate)_3] \cdot 3CH_3CN$, 9

Transition metal compounds
transition metal compounds of chelating imidazole-thioether-amine ligand; crystal and molecular structures of (4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)di(chloro)Cu(II), bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Cu(II) dichloride dihydrate, and bis(4-(5-methyl-4-imidazolyl)-1-amino-3-thiabutane)Co(III) tris(tetrafluoroborate), 187

Transmetalation
influence of catecholate bridges on transmetalation of tetranuclear Cu(II) complexes $[NCuCl]_4Y_2$ and $N_4Cu_4(OH)_2Cl_4Y \cdot 3H_2O$ (N = *N*,*N*-diethylnicotinamide; Y = 3,4,5,6-tetrachlorocatecholate) with $Ni(NS)_2$ (NS = *S*-methyl isopropylidenehydrazinecarbodithioate) in methylene chloride, 213
Transuranium metal complexes
some correlations involving stability of complexes of transuranium metal ions and ligands with negatively charged oxygen donors, 229
Vinylidene complexes
synthesis and characterization of vinylidene bridged complexes $Cp(CO)_2MnPt(\mu\text{-}C{=}CHPh)(P\text{–}P)$ with chelating diphosphine ligands P–P = dppm, dppe or dppp at Pt atom, 49
Zinc complexes
crystal and molecular structures of aquadichloro(pyridine betaine)Zn(II), dichlorobis(pyridine betaine)Zn(II) and dichlorobis(betaine)Zn(II) monohydrate, 139